



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

the month of March, 1904, and this number together with the 5 old cases on hand at the beginning of the month makes a total of 16, of which 9 recovered and were discharged, and 7 remained on hand on April 1, 1904.

Vital statistics of the city of San Juan for the month of March, 1904.

Stillborn.....	9	Pneumonia	3
Softening of the brain	1	Tetanus	2
Gastro-enteritis	6	Infection, puerperal	1
Hemorrhage of the brain	1	Valvular disease of heart.....	3
Broncho-pneumonia	6	Arterial sclerosis	1
Cirrhosis of liver	2	Fracture of skull	1
Syncope from chloroform	1	Gangrene	1
Septicemia.....	2	Diphtheria.....	1
Athrepsia.....	4	Cystitis	1
Enteritis.....	4	Congestion of brain.....	1
Anemia	1	Uræmia	1
Internal hemorrhage	2	Encephalitis	1
Meningitis.....	2	Hypertrophy of heart	1
Chronic hepatitis.....	1	Fatty degeneration of heart	2
Aneurism of heart, aortic	2	Urinary fever.....	1
Tuberculosis, pulmonary.....	17	Leprosy	1
Tuberculosis, intestinal.....	2	Progressive paralysis	1
Peritonitis	1	Typhilitis.....	1
Tape worm	1		
Bright's disease	1		100
Diarrhea, infantile.....	1	March, 1904:	
Entero-colitis	2	Deaths	102
Old age	1	Births	160
Endocarditis	1	March, 1903:	
Hepatitis	1	Deaths	95
Bronchitis	4	Births	71

SPAIN.

Report from Madrid—Malignant typhus.

Vice-Consul Danziger reports, April 5, as follows:

I have consulted a number of medical men on the question of the epidemic existing in Madrid. Their opinions were so contradictory that I deemed it best to investigate the matter, and I find that the deaths that have already occurred and the new cases that are brought to the separate hospital set aside by the local government for that purpose are malignant typhus.

I deem it my duty to warn the Department, and have advised the consul-general at Barcelona to take proper measures with people coming from Madrid.

TURKEY.

Return of the pilgrimage of 1904.

Pilgrim vessels arrived at Tor.

[Translated in this Bureau from the Bulletin Quarantenaire, Alexandria, March 31, 1904.]

March 25.—Eleni: 747 Russian pilgrims on ship's bill; 4 deaths during the voyage.

March 29.—Galioubieh: 71 Egyptian pilgrims on bill and 97 according to declaration of captain. *St. George:* 821 pilgrims of mixed nationalities; 1 death during voyage.

Vessels sailing from Tor.

March 25.—Garcia: 514 Russian pilgrims; destination, Theodosia.

March 26.—Konia: 589 pilgrims of mixed nationalities; destination, Beirut, Alexandretta, Smyrna, and Constantinople. *Lesbos:* 361 pilgrims of mixed nationalities; destination, Tripoli in Africa.

March 29.—Eleni: 772 Russian pilgrims; destination, Theodosia.

NOTE.—On arrival at Suez these vessels were allowed to pass the Canal in quarantine after favorable medical visit.

Soudanese pilgrims quarantined at Suakin.

March 25.—79 pilgrims.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

AFRICA—*Sierra Leone.*—Two weeks ended March 26, 1904. Estimated population, 40,000. Total number of deaths, 39. No deaths from contagious diseases.

BAHAMAS—*Dunmore Town.*—Two weeks ended April 15, 1904. Estimated population, 1,232. One death. No contagious diseases.

Governors Harbor.—Week ended April 2, 1904. Estimated population, 1,500. No deaths and no contagious diseases.

Green Turtle Cay—Abaco.—Four weeks ended April 14, 1904. Estimated population, 3,314. No deaths and no contagious diseases.

Nassau.—Four weeks ended April 19, 1904. Estimated population, 12,390. Number of deaths not reported. No contagious diseases reported.

BRAZIL—*Ceara.*—Month of February, 1904. Estimated population, 50,000. Total number of deaths, 102, including 2 from enteric fever.

Pernambuco.—Two weeks ended March 31, 1904. Estimated population, 200,000. Total number of deaths, 574, including enteric fever 2, whooping cough 1, smallpox 19, and 57 from phthisis pulmonalis.

Formosa.—Month of January, 1904. Estimated population, 2,797,543. Total number of deaths not reported. One death from enteric fever and 24 deaths from plague reported.

Month of February, 1904. Total number of deaths not reported. Three deaths from enteric fever and 80 deaths from plague reported.

FRANCE—*Roubaix.*—Month of March, 1904. Estimated population, 124,660. Total number of deaths 227, including enteric fever 3, measles 8, scarlet fever 3, and 2 from whooping cough.

Rouen.—Month of February, 1904. Census population, 116,316. Total number of deaths 256, including diphtheria 1, enteric fever 4, smallpox 4, and 43 from tuberculosis.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 76 great towns in England and Wales during the week ended April 2, 1904, correspond to an annual rate of 18.7 per 1,000 of the aggregate population, which is estimated at 15,271,425.